

ALMN25 Series

PROSEMI offers AEC-Q200 qualified current Sensing Resistor






Features

- Proprietary processing technique produces extremely low resistance values
- Very low inductance
- Low thermal EMF
- Metallic Material
- AEC-Q200 qualified available

Part Numbering System



D:±0.5% F: ±1.0%

G: ±2.0% J: ±5.0%

Parameter	Standard
Power Rating	1~100mΩ : 2~3W
Resistance Value	1~100mΩ
Operating Temperature Range	-55 to +170°C
Component Temperature Coefficient (TCR)	± 50 ppm/°C
Maximum Working Voltage (V)	(P x R) ^{1/2}
Rating Current (A)	(P / R) ^{1/2}
ÚMÚ[¸^¦ÁÜæãj*LÄÜMÜ^•ãœà &^ÁXæj*^	

H:With heat sink

J: Without heat sink


Standard Electrical Specifications

Туре	Rating Power at 70°C	T.C.R. (ppm/°C)	Resistance Range(m Ω) $ \pm 0.5\% \text{ (D)} $ $ \pm 1.0\% \text{ (F)} $ $ \pm 2.0\% \text{ (G)} $ $ \pm 5.0\% \text{ (J)} $	Meterial	Electrode	Operating Temperature(°C)
ALMN25J	2W		1-4	R001-R004:Wide		
ALIVIN25J ZVV	200	50	2-10	CuMn	R002-R100:Narrow	-55~+170°C
ALMN25H 2V	2W&3W		1-4	R001-R004:Wide		
			2-100		R002-R100:Narrow	




ALMN25 Series

Construction





Recommend land pattern



Unit: Millimeters							
Resistance Range (Ω) a b							
0.001-0.004(Wide)	4.0±0.1	3.1±0.1	1.3±0.1				
0.002~0.100(Narrow)	4.0±0.1	2.1±0.1	4.1±0.1				

Product structure diagram






PROSEMI


Automotive Current Sensing Resistors

Power Derating Curve

For resistors operated in ambient temperatures 70°C, power rating shall be derated inaccording with the curve below:



Recommended Solder Curve



Reflow Cond	lition	Pb – Free assembly		
	- Temperature Min (Ts(min))	150°C		
Pre heat	- Temperature Max (Ts(max))	200°C		
	- Time (Min to Max) (ts)	60 – 120 secs		
	verage ramp up rate uidus Temp (TL) to peak	5°C/second max		
TS(r	max) to TL - Ramp-up Rate	5°C/second max		
Reflow	- Temperature (TL) (Liquidus)	217°C		
	- Time (tL)	60 – 150 seconds		
ı	Peak Temperature (TP)	260°C		
Time within 5	°C of actual peak Temperature (tp)	20 – 40 seconds		
	Ramp-down Rate	5°C/second max		
Time 2	5°C to peak Temperature (TP)	8 minutes Max.		
	Wave Soldering	260°C, 10 seconds max.		
	Hand Soldering	350°C, 5 seconds max.		




Product Characteristics

Item	Test condition/ Methods	Limited	Standard	
Resistance	Measuring resistance value at room temperature 25 ℃ ±5 ℃	Refer to Spec	IEC60115-1 4.5	
Temperature coefficient of resistance	TCR =(R-R ₀)/R ₀ (T2-T1)X 10^6 R ₀ : resistance of room temperature R: resistance of 125° C T1: Room temperature T2: Temperature at 125° C	Refer to Spec	MIL-STD-202 Method 304	
Short time Overload	Apply overload for 5 seconds and measure the resistance change rate after standing for 24 hours. 5 times the rated power for 5 seconds	≤±0.5%	MIL-R-26E	
Resistance to Soldering Heat	260°C±5°C time: 12sec± 0.5sec	≤±0.5%	MIL-STD-202 Method 210	
Solderability	Immerse in the furnace at 245 ± 5 °C for 3 ± 1 seconds, then take it out and put it under a magnifying glass to observe the solder area		MIL-STD-202 Method 210	
Temperature Cycling	Temperature Cycling -55℃ (30min)/+125℃(30min), 1000 cycles		MIL-STD-202 Method107G	
Low temperature Storage	-55℃ for 1000hours, No power	≤±0.5%	MIL-STD-26E	
High Temperature Storage	125℃ for 1000hours, No power	≤±1%	IEC6011501-4.25	
Bias Humidity	+85℃,85% RH,10%bias, 1000hours	≤±0.5%	MIL-STD-202 Method103	
Mechanical shock	Condition C ,100 g's ,6 msec, 3 mutually perpendicular axes, in 6 directions, three impacts each for a total of 18 times 18 shocks.	≤±0.5%	MIL-STD-202 Method 213	
Vibration	The frequency varies from 10HZ to 55HZ and return to 10HZ, shall be transferred in 1 min. Amplitude : 1.5mm, 3 directions, and 12 hours		MIL-STD-202 Method 201	
Operational life 70 °C ± 2 °C , 1000 hours, at rated power 1.5 hours "ON", 0.5 hours "OFF"		≤±1%	MIL-STD-202 Method 108	




ALMN25 Series

Tapping & Package



Туре	Pack	A ±0.2	B ±0.2	D0 +0.5-0		F ±0.05	P0 ±0.1	P1 ±0.1	P2 ±0.1	W ±0.2	D1 ±0.05	T ±0.15
2512	Emboss	3.60	6.90	1.50	1.75	5.50	4.00	4.00	2.00	12.00	1.50	1.20

Reel Specification



Туре	A	В	С	D	M	W
2512	2.00±0.5	13.50±0.5	21.00±0.5	80.00±1.0	178.00±2.0	13.80±0.5

Packaging

Quantity: 4, 000pcs

12mm wide tape on 178mm(7 inch) diameter reel -specification


EIA Standard 481.



ALMN25 Series

Peel strength of upper belt

Stripping speed: 300 mm / min; The peel force is between 0.1N and 0.7N.



Storage conditions & shelf life

It can be stored for 2 years under closed conditions with temperature of 5 ° C ~ 35 ° C and relative humidity of 40 ~ 75

Please avoid the following harsh environment during storage to avoid affecting the product performance and solder connectivity: the places with corrosive gases such as sea breeze, Cl₂, H₂S, NH₃, SO₂ and NO₂ shall be stored without direct sunlight.

Precautions for product use

When measuring the resistance value before welding, a special resistance meter with high precision shall be used. When measuring, a 4-wire probe or fixture must be used. 4. When measuring parts with a wire measuring needle, the 4 measuring needles must indeed contact the parts.

Avoid damaging the protective layer during manual welding or clamping with tweezers.

When the PCB is divided or fixed on the support, be careful to avoid excessive bending causing mechanical stress to the resistor.

It shall be used within the rated power range within the specification, especially when the power exceeds the rated value, which may affect the reliability of the product